

SUPERFAX

BK-25



SUPERFAX BK-25 AUTOMATIC BOOKLET MAKER

SPECIFICATIONS

Revised on 10 November 2004

| | |
|----------------------|---|
| Model Name | BK-25 |
| Type | Stand-alone use or on-line with a collator/collators |
| Paper Size | Max: 328 x 457mm SRA3 (320 x 450MM) or 11" x 17" Min: B5 (182 x 257mm) or 5.5" x 8.5" A5(148 x 210mm) or 5 3/4" x 8 1/4" CD SIZE (120 x 210mm) is possible with optional parts Side stapling: A4 (210 x 297mm) or 8.5" x 11" B5 (182 x 257mm) or 8" x 10.5" |
| Paper Quality | 60 - 200g/m ² |
| Stapler | 2 (standard) A 3 rd stapler is an option |
| Pitch | 5 positions : Center, 68mm, 128mm, 200mm, 260mm (Corner stapling) |
| Stapler Capacity | Booklet: 25 sheets (80g/m ²) Side stapling: 25 sheets (80g/m ²) |
| Folding Capacity | 20 sheets of 80g/m ² Copy Paper (Cover sheet can be max. 155g/m ²) |
| Speed | 2200 sets/hour or 1.8 sec./set (when connected with the EC-4600) |
| Detection | No staple, Safety cover, Main cover, Paper set detection, Paper alignment detection, Paper leading edge detection, Paper discharge detection, etc. |
| Dimensions | 1050(W) x 620(D) x 740(H)mm (in use) 520(W) x 620(D) x 740(H)mm (stowed) |
| Weight | 86 kg |
| Ambient Conditions | Temperature: 5 - 35°C, Humidity: 20 - 85% (Recommended) |
| Power Supply | 100V, 110V, 115V, 220V, 230V or 240V (+6%,-10%) 50/60Hz |
| Power Consumption | 166W/2.3A(100V) 1.8A/160W(120v) 1.0A/160W(220/240V) |
| Additional Features | Guides are automatically adjusted to meet the paper size. |
| Staple | Flat clinch type (5000 pcs./cartridge) |
| Feed Tray Angle | 60° |
| Diagnostic Display | Errors such as Paper Jam, No Staple, Paper Misfeed are displayed on the panel. |
| Optional accessories | Paper Guides for corner stapling, Paper Guides for CD/A5 size sheets, Guides for manual insertion |
| Other features | <ul style="list-style-type: none"> ☆ Paper size is automatically detected when connected to EC-4600. ☆ If any error like paper misfeed or doublefeed has occurred, machine continues to run without stop. A set of sheet with an error is ejected to the discharge table. ☆ High speed of 2200 sets per hour ☆ If used in conjunction with the EC-4600 Collator, there is no need to shift the booklet maker when the paper size has been changed. ☆ Able to set up to 3 stapler heads with 5000 pcs. each flat clinch staples ☆ Each stapler head has an independent detection for empty staples ☆ Programmable paper size ☆ Total counter built-in for service purpose ☆ Neat paper stacking thanks to high paper feed angle |

* Specifications listed herein are subject to change without prior notice.

Features

Fully Automatic Booklet Maker

The BK-25 will make a good combination with EC-4600 and/or EC-4600L collators or can be used as stand-alone

- ◆ Adjusts the jogging width by itself to fit the paper size loaded on the paper feed tray (when connected with EC-4600)
- ◆ Accepts large format paper size of 328 x 457mm
- ◆ High speed of 2200 sets per hour
- ◆ 3 stapler heads accommodate 5,000 pcs each of flat clinch staples.
- ◆ Steep angle feed tray secures neat paper stacking.